

MEDICAP® MD 12-4-4 Systemic Fertilizer Implants

CREATIVE SALES, INC.

Safety Data Sheet

SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND COMPANY

Product Identifier MEDICAP® MD Systemic Tree Implants

Other Means of Identification None

Recommended Use of Product Fertilizer

ManufacturerCreative Sales, Inc.Address222 N. Park Ave

Fremont, NE 68025 USA

Telephone 402-727-4800

402-727-4841 (FAX)

Website www.acecap-medicap.com

E-mail brad@acecap.net **Emergency phone number** 800-759-7739

SECTION 2: HAZARDS IDENTIFICATION

Emergency Overview: This product is not considered hazardous and does not require labeling.

POTENTIAL HEALTH EFFECTS: This product may irritate eyes and skin upon prolonged or repeated contact.

Overexposure by inhalation may cause respiratory tract irritation. Do not ingest. Ingestion of large amounts of this substance may produce irritation of the gastro-intestinal tract. May cause local discomfort if skin with cuts is exposed.

SIGNAL WORD: N/A HAZARD STATEMENTS: N/A

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION INFORMATION: Substance/Mixture: Mixture

CHEMICAL NAME	CAS REGISTRY No	REACH No	EINECS No
Urea:	57-13-6	012119463277-33	200-315-5
Potassium carbonate:	584-08-7	-	209-529-3
Methylene diurea:	13547-17-6	-	236-918-5
Polyammonium phosphate:	68333-79-9	-	269-789-9
Iron EDTA	15708-41-5	-	239-802-2
Manganese EDTA	15375-84-5	-	-
Zinc EDTA	14025-21-9	-	-

SECTION 4: FIRST AID MEASURES

Routes of Exposure:

INHALATION: Not expected to be harmful under normal conditions of use, however if allowed to become airborne, may

cause irritation of nose, throat and lungs. If symptoms are experienced remove source of contamination or

move victim to fresh air. Obtain medical attention if needed.

INGESTION: Have victim rinse mouth thoroughly with water. DO NOT INDUCE VOMITING.

EYE CONTACT: Irritating to eyes. Immediately flush the contaminated eye(s) with cold, gently flowing water for 5

minutes. Remove contact lenses, if applicable and continue flushing for 15 minutes. Rise entire surface of

the eye(s) and lids. If irritation persists, seek medical attention.

SKIN CONTACT: No significant effects or critical hazards. If irritation occurs, flush affected skin area with cold water. If

irritation persists, seek medical attention.

Product name: MEDICAP® MD SYSTEMIC TREE IMPLANTS

SDS US

Issue date: 12-1-2016 1/3

SECTION 5: FIREFIGHTING MEASURES

Fire and Explosion Hazards: Non-combustible Flammable Limits: LEL: N/A, UEL: N/A

Extinguishing Media: Use an extinguishing agent suitable for the surrounding fire.

Fire Fighting Procedures: None Flashpoint and Method: N/A

Decomposition Products: Carbon dioxide, carbon monoxide, nitrogen oxides

SECTION 6: ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Stop leak if without risk. Prevent product from entering drinking water supplies. Collect liquid or solidify with absorbent material and package for disposal according to local, state, and federal regulations.

WASTE DISPOSAL PRECEDURES:

Dispose in accordance with state and local regulation.

Reportable Quantity under Cercla:

N/A

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE:

MAX 100° F MIN 32° F INDOOR ✓ OUTDOOR 🗶 REFRIG. 🗶

PRECAUTIONS TO BE TAKEN IN HANDLING:

For safe handling - put on appropriate protective clothing (PPE). Do not ingest. Avoid contact with eyes, skin and clothing. Do not reuse containers. Refrain from eating, drinking and smoking in work areas.

PRECAUTIONS TO BE TAKEN IN STORAGE:

Not harmed by freezing. Thaw frozen fertilizer slowly and stir before using. Store in a cool, dry well ventilated area. Rotate stock in storage to use oldest first. Store in original containers only. Keep out of reach of children.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

SKIN PROTECTION (Gloves): Gloves
EYE PROTECTION: Use goggles.

PROTECTIVE CLOTHING: Where there is a large scale use of this material with significant potential for worker

contact, long-sleeved clothing or coveralls, chemical resistant gloves, and/or safety

glasses with side shields may be necessary.

OTHER PROTECTION: N/A

Respiratory Protection or Required Ventilation:

Not normally needed. Where air contaminants can exceed acceptable criteria use NIOSH/MSHA approved respiratory protection equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:LiquidEvaporation Rate:Same as WaterColor:Dark GreenBoiling Point:About 100° F / 38° COdor:Slightly Musty OdorFreezing Point:32° F / 0° C

pH – 21C: 9 Vapor Pressure: N/A

Solubility: Completely Miscible Storage Temperature: Above 32° F / 0° C

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable. Avoid contact with strong acids.

CONDITIONS TO AVOID: N/E (None known) **INCOMPATIBLE MATERIALS:** N/A (None known)

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2, NH3, particulate matter and other organic compounds.

HAZARDOUS POLMERIZATION: Material is not known to polymerize. Will not occur.

Product name: MEDICAP® MD SYSTEMIC TREE IMPLANTS

SDS US

Issue date: 12-1-2016 2/3

SECTION 11: TOXICOLOGICAL INFORMATION

EFFECT OF OVEREXPOSURE ACUTE Liquid contact may cause slight eye irritation and repeated skin

(SHORT TERM EXPOSURE): exposure may cause some skin irritation.

CHORONIC (LONG TERM EXPOSURE): None Known

EXPOSURE ROUTES: Not expected to be harmful under normal conditions of use,

however if allowed to become airborne, may cause irritation of

nose, throat and lungs

May cause irritation on prolonged or repeated contact

Hazard:

ACUTE TOXICITY (LETHAL DOSES):

DERMAL LD 50: N/E ORAL LD 50: N/E

ACUTE TOXICITY (IRRITATION, SENSITIZATION):

EFFECTS TO EYES: No corneal or iridal effects were noted at a dose of 0.1 ml for

rabbits

EFFECTS TO INGESTION: Non-toxic or pathogenic

EFFECTS TO SKIN: Moderate irritation, reversible within 7 days

CARCINOGENICITY DATE:

SECTION 12: ECOLOGICAL INFORMATION

TOXICITY: This material is not classified as hazardous. Use according to good

working practices.

ECOTOXICITY:

MOBILITY IN SOIL: This product is biodegradable is soil by microbial activity.

OTHER ADVERSE EFFECTS: N/F. None known.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION

DOT UN STATUS: This material is not regulated hazardous material for transportation.

SECTION 15: REGULATORY INFORMATION

N/E

SECTION 16: OTHER INFORMATION

OTHER PRECAUTIONS: Read entire label before using

This information is furnished without warranty, expressed or implied, except that is accurate to the best knowledge of Creative Sales, Inc. The data on this sheet relates only to the specific material designated herein. Creative Sales, Inc. assumes no legal responsibility for use or reliance upon this data.

ABBREVIATIONS / ACRONYMS:

N/E - Not Established NFPA - National Fire Protection Association WHMIS - Workplace Hazardous Materials Information System **DOT – Department of Transportation RELs - Recommended Exposure Limits**

Product name: MEDICAP® MD SYSTEMIC TREE IMPLANTS

SDS US

Issue date: 12-1-2016 1/3

N/A - Not Applicable HMIS - Hazardous Materials Identification System TDG - Transport of Dangerous Goods NIOSH - National Institute of Occupational Safety & Health

HMIS Letter: B Equipment: